

**SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

<b>Product Name:</b>	Troldtekt Acoustic Panel
<b>Other Names:</b>	
<b>Product Codes/Trade Names:</b>	
<b>Recommended Use:</b>	Indoor ceiling tiles and wall panels
<b>Applicable In:</b>	Australia
<b>Supplier:</b>	CSR Building Products Limited ABN 55 008 631 356
<b>Address:</b>	Triniti 3, 39 Delhi Road, North Ryde, NSW 2113, Australia
<b>Telephone:</b>	+61 2 9235 8000 (or 1800 807 668 (available in Australia only))
<b>Email Address:</b>	<a href="http://www.csr.com.au/Common/Contactus.asp">http://www.csr.com.au/Common/Contactus.asp</a>
<b>Web Site:</b>	www.csr.com.au
<b>Facsimile:</b>	+61 2 9372 5819
<b>Emergency Phone Number:</b>	000 Fire Brigade and Police (available in Australia only)
<b>Poisons Information Centre:</b>	13 11 26 (available in Australia only)

This Safety Data Sheet (SDS) is issued by the Supplier in accordance with National standards and guidelines from Safe Work Australia (SWA – formerly ASCC/NOHSC). The information in it must not be altered, deleted or added to. The Supplier will not accept any responsibility for any changes made to its SDS by any other person or organization. The Supplier will issue a new SDS when there is a change in product specifications and/or standards, codes, guidelines, or Regulations.

**SECTION 2: HAZARD IDENTIFICATION**

**STATEMENT OF HAZARDOUS NATURE:** Classified as **Non-Hazardous** as delivered, according to the criteria of Safe Work Australia (SWA – formerly ASCC/NOHSC) Approved Criteria For Classifying Hazardous Substances [NOHSC:1008] 3rd Edition.

Cutting, breaking, drilling, sawing, grinding and finishing the panels may generate dust (wood and cement dusts) which is **Hazardous**. Recommendations on Exposure Controls / Personal Protection (see Section 8 below) should be followed.

**Troldtekt Acoustic Panels** are classified as **Non-Dangerous** Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

**GHS CLASSIFICATION:**

**Not classified as Hazardous.** Because this product is classified as Non-Hazardous as delivered, a Safety Data Sheet (SDS) is not required under the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) or Australian Regulations. CSR has elected to issue this SDS for the information of users, installers and the community. It has been formatted according to the GHS, as adopted by Safe Work Australia.

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name:	Synonyms:	Proportion:	CAS Number:
Wood (softwood)	Norway Spruce	45-50%	---
Cement	Portland cement	~50%	65997-15-1
Sodium silicate	Waterglass	1-2%	1344-09-8
Water-based paint		1-2%	---

**SECTION 4: FIRST AID MEASURES**

The following applies to **dust** from this product:

<b>Swallowed:</b>	Rinse the lips and mouth with water, give water to drink, and seek medical attention if discomfort persists.
<b>Eyes:</b>	Flush with copious amounts of water. If symptoms persist seek medical attention.
<b>Skin:</b>	Sluice with water and, if itching persists, seek medical attention.
<b>Inhaled:</b>	Remove to fresh air. If symptoms persist seek medical attention.
<b>Advice to Doctor:</b>	This product is a mechanical irritant, and is not expected to produce any chronic health effects from acute exposures. Treatment should be directed toward removing the source of irritation with symptomatic treatment as necessary.

**SECTION 5: FIRE FIGHTING MEASURES**

<b>Suitable extinguishing media:</b>	Use carbon dioxide, foam, dry chemical or water mist to extinguish, as required for fire in surrounding materials. Do not use water stream, as it may spread the fire.
<b>Specific hazards:</b>	In the event of fire, decomposition products may include gases such as carbon monoxide.
<b>Special protective precautions and equipment for fire fighters:</b>	As required for fire in surrounding materials.
<b>HAZCHEM Code:</b>	None

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

<b>Personal precautions, protective equipment and emergency procedures:</b>	Recommendations on Exposure Controls / Personal Protection (see Section 8 below) should be followed during spill clean-up if conditions are dusty.
<b>Environmental precautions:</b>	No specific precautions required.
<b>Methods and materials for containment and cleaning up:</b>	Dust is best cleaned up by wet sweeping and/or vacuuming to avoid making dust airborne. Wetting down before sweeping up dust may be a useful control measure. Bag waste materials.

**SECTION 7: HANDLING AND STORAGE**

<b>Precautions for safe handling:</b>	Handling, installing or removing the panels may generate small amounts of dust, particularly if the panels require cutting. Once installed, panels do not
---------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------

	release dust or fibres. Manual handling should be in accordance with Manual Handling Regulations and Codes.
<b>Conditions for safe storage:</b>	Store in a dry area.
<b>Incompatibilities:</b>	None

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Workplace Exposure Standards:</b>	<p><b>Workplace Exposure Standards for Airborne Contaminants, Safe Work Australia</b></p> <p>No exposure standard is applicable to this non-hazardous product, as delivered.</p> <p>The following exposure standards apply only to dust generated from the product.</p> <p>Wood dust (soft wood): TWA - 5 mg/m<sup>3</sup>; STEL - 10 mg/m<sup>3</sup>; Sen</p> <p>Portland cement: TWA - 10 mg/m<sup>3</sup></p> <p>Total dust (of any type, or particle size): TWA -10 mg/m<sup>3</sup></p>
<b>Notes on Exposure Standards:</b>	<p>All occupational exposures to atmospheric contaminants should be kept to as low a level as is workable (practicable) and in all cases to below the Workplace Exposure Standard (WES).</p> <p>TWA (Time Weighted Average): the time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.</p> <p>STEL (Short Term Exposure Limit): the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour work day.</p> <p>Sen Notice: Substance can cause specific immune response in some people ("sensitisation"), causing skin rash or asthma, even when exposure is minimal.</p>
<b>Biological Limit Values:</b>	No biological limit allocated.
<b>ENGINEERING CONTROLS</b>	
<input type="checkbox"/> <b>Ventilation:</b>	Keep exposures to dust as low as practicable. Work in the open air and within external openings (such as doors and windows in buildings) generally provides adequate ventilation. Local mechanical ventilation or extraction may be required in areas where dust could escape into the working environment. Local dust extraction and collection may be used, if necessary, to control airborne dust levels. Hand tools generate less dust when cutting, drilling or sanding. If power tools are used they should be fitted with efficient and well maintained dust extraction devices. If generated dust cannot be avoided follow personal protection recommendations.
<input type="checkbox"/> <b>Special Consideration for Repair &amp;/or Maintenance of Contaminated Equipment:</b>	Where possible vacuum or wash down all gear, equipment or mobile plant prior to maintenance and repair work. If compressed air cleaning cannot be avoided, recommendations on Exposure Control and Personal Protection should be followed.
<b>PERSONAL PROTECTION</b>	
<input type="checkbox"/> <b>Personal Hygiene</b>	Wash hands before eating, drinking, using the toilet, or smoking. Wash work clothes regularly.
<input type="checkbox"/> <b>Skin Protection:</b>	Wear loose comfortable clothing. Direct skin contact should be avoided by

	wearing long sleeved shirts and long trousers, a cap or hat, and gloves (standard duty leather or equivalent AS 2161).
<input type="checkbox"/> <b>Eye Protection:</b>	Ventilated non-fogging goggles (dust resistant AS/NZS 1336) should be worn when working in a dusty environment.
<input type="checkbox"/> <b>Respiratory Protection:</b>	None required if engineering and handling controls are adequate. Where engineering and handling controls are not enough to minimise exposure to total dust, personal respiratory protection may be required. The type of respiratory protection required depends primarily on the concentration of the respirable dust in the air, and the frequency and length of exposure time. Amount of exertion required during the work, and personal comfort are other considerations in choice of respirator. A suitable P1 or P2 particulate respirator chosen and used in accordance with AS/NZS 1715 and AS/NZS 1716 may be sufficient for many situations, but where high levels of dust are encountered, more efficient cartridge-type or powered respirators or supplied-air helmets or suits may be necessary. Use only respirators that bear the Australian Standards mark and are fitted and maintained correctly, and kept in clean storage when not in use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Grey or white flat panels of varying length and thickness
<b>Odour:</b>	None
<b>Odour threshold:</b>	Not applicable
<b>pH:</b>	Not determined
<b>Melting point:</b>	Not determined
<b>Initial boiling point and range:</b>	Not determined
<b>Flash point:</b>	Not applicable
<b>Evaporation rate:</b>	Not applicable
<b>Flammability:</b>	Non-flammable
<b>Upper/lower flammability or explosive limits:</b>	Not applicable
<b>Vapour pressure:</b>	Not applicable
<b>Vapour density:</b>	Not applicable
<b>Specific gravity (Relative density):</b>	Not determined. Bulk density = 0.35-0.43 g/ml
<b>Solubility:</b>	Insoluble
<b>Partition coefficient (n-octanol/water):</b>	Not determined
<b>Viscosity:</b>	Not applicable
<b>Auto-ignition temperature:</b>	Not applicable
<b>Decomposition temperature:</b>	Not determined
<b>% Volatiles:</b>	0%
<b>Volatile Organic Compounds (VOC) Content:</b> (as specified by the Green Building	0%

Council of Australia)	
-----------------------	--

## SECTION 10: STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Stable
<b>Hazardous Reactions:</b>	None
<b>Conditions to avoid:</b>	Dust generation
<b>Incompatible Materials:</b>	None known
<b>Hazardous Decomposition Products:</b>	None

## SECTION 11: TOXICOLOGICAL INFORMATION

### Health Effects: Acute (short term)

<b>Swallowed:</b>	Unlikely under normal industrial use, but swallowing the dust from this product may result in abdominal discomfort.
<b>Eyes:</b>	Dust is irritating to the eyes causing watering and redness. Exposure to dust may aggravate pre-existing eye conditions.
<b>Skin:</b>	The dust from this product, particularly in association with heat and sweat, may cause irritation, but it is not absorbed through the skin. It may be mildly irritating and drying to the skin due to its physical characteristics.
<b>Inhaled:</b>	Dust is mildly irritating to the nose, throat and respiratory tract and may cause coughing and sneezing. Pre-existing upper respiratory and lung diseases including asthma and bronchitis may be aggravated.

### Health Effects: Chronic (long term)

<b>Skin:</b>	Repeated heavy contact with the dust may cause drying of the skin and can result in skin rash (dermatitis) typically affecting the hands, and in some people may lead to skin sensitization. Over time this may become chronic and can also become infected.
<b>Inhaled:</b>	Repeated exposure to the dust may result in increased nasal and respiratory secretions and coughing. Inflammation of lining tissue of the respiratory system may follow repeated exposure to high levels of dust, with increased risk of bronchitis and pneumonia. In some people allergic asthma may arise from breathing in high levels of wood dust.

### Additional Notes

<b>Special Toxic Effects:</b>	Inhalation of dust is considered by medical authorities to increase the risk of lung disease due to tobacco smoking.
-------------------------------	----------------------------------------------------------------------------------------------------------------------

## SECTION 12: ECOLOGICAL INFORMATION

<b>Eco-toxicity:</b>	Product is non-toxic to aquatic and terrestrial organisms.
<b>Persistence and Degradability:</b>	Product is potentially biodegradable.
<b>Bioaccumulative potential:</b>	There is no evidence to suggest bioaccumulation will occur.
<b>Mobility in soil:</b>	A low mobility would be expected in a landfill situation.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Troldekt Acoustic Panels** can be treated as a common waste for disposal or dumped into a landfill site in accordance with local authority guidelines. Measures should be taken to prevent dust generation during disposal and exposure and personal precautions should be observed (see above).

**SECTION 14: TRANSPORT INFORMATION**

<b>UN number:</b>	None allocated
<b>UN Proper Shipping Name:</b>	None allocated
<b>Class and Subsidiary Risk:</b>	None allocated
<b>Packaging Group:</b>	None allocated
<b>Marine Pollutant:</b>	No
<b>Special Precautions for User:</b>	None
<b>HAZCHEM code:</b>	None allocated

**SECTION 15: REGULATORY INFORMATION**

<b>Poisons Schedule:</b>	Not scheduled
--------------------------	---------------

**SECTION 16: OTHER INFORMATION**

<b>For further information on this product, please contact:</b>	
CSR Building Products Limited (ABN 55 008 631 356), Trinita 3, 39 Delhi Road, North Ryde, NSW 2113, Australia.	
<b>Phone:</b>	+61 2 9372 5888 or 1800 807 668 (available in Australia only)
<b>Fax:</b>	+61 2 9372 5877

**ADDITIONAL INFORMATION****Australian Standards References:**

AS/NZS 1336	Recommended Practices for Occupational Eye Protection
AS/NZS 1715	Selection, Use and Maintenance of Respiratory Protective Devices
AS/NZS 1716	Respiratory Protective Devices
AS 2161	Industrial Safety Gloves and Mittens (excluding electrical and medical gloves)

**Other References:**

NOHSC:1008 (2004)	Approved Criteria for Classifying Hazardous Substances
Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals, December 2011, Safe Work Australia.
Model Code of Practice	Labelling of Workplace Hazardous Chemicals, December 2011, Safe Work Australia.
Model Code of Practice	Managing Risks Of Hazardous Chemicals In The Workplace, July 2012, Safe Work Australia.
WHS	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations, April 2012, Safe Work Australia.

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7 <sup>th</sup> edition, National Transport Commission.
WES	Workplace Exposure Standards For Airborne Contaminants, April 2013, Safe Work Australia.
WES	Guidance On The Interpretation Of Workplace Exposure Standards For Airborne Contaminants, April 2013, Safe Work Australia.
GHS	Globally Harmonized System of Classification and Labelling of Chemicals (GHS), 3 <sup>rd</sup> revised edition, United Nations, New York and Geneva, 2009.
GHS	Understanding the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), United Nations, New York and Geneva, 2010.
HSIS	Hazardous Substances Information System (HSIS), internet advisory service, Safe Work Australia.
HCIL	GHS Hazardous Chemical Information List (HCIL), internet advisory service, Safe Work Australia.

## AUTHORISATION

Reason for Issue:	New product
Authorised by:	
Date of Issue:	Feb 2021

Whilst the information contained in this document is based on data which, to the best of our knowledge, was accurate and reliable at the time of preparation, no responsibility can be accepted by us for errors and omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by us for any loss or damage caused by any person acting or refraining from action as a result of this information.

END OF SDS